

Contents

Gaussian Wave Propagation in Alternating Positive and Negative Coupling Waveguide Arrays	10
Surface and Non-surface Gap Solitons at the Junction of Two Periodic Lattices with Phase Mismatch .	14
A New Practicable GLLH EM Invisible Cloak without Exceeding Light Speed Wave	18
The Momentum of Photon May Explain the Measurement's Paradox in the Subatomic World	27
Ship Detection by Synthetic Aperture Radar with Ground-based Maritime Radar with AIS	31
On the SAR Image Classification by Rotation of the Covariance Matrix in the Four-component Scattering Power Decomposition	35
Detection and Evaluation of Building Damages in Earthquake from VHR Optical and SAR Images Using Multiple Mutual Information Techniques	40
The Phenomenon of Positive Magnetoimpedance in $\text{La}_{0.75}\text{Sr}_{0.25}\text{MnO}_3$ PLD Film	44
Magnetoimpedance in Perovskite $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ Ceramics	48
Investigation of the Electrical Properties of BCN-codoped TiO_2 Thin Film Using Impedance Spectroscopy	52
Method of Measuring the Range from the UWB Borehole Logging Tool to the Oil-water Contact	55
UWB Borehole Logging Tool to Explore the Electrical and Structural Properties of Near-wellbore Fluid-filled Areas	59
Charge Continuity Equation in the Adjoint Fields	63
A Generalized Variational Principle of Linear Elastic Materials with Voids	68
Using Numerical Analysis for NMR Coils Optimalization	72
Limits to the Measurement of the Magnetic Susceptibility Using NMR Method	76
Sensitivity of the Diffusion Coefficients Measurement to Gradient Field Changes	80
Evaluation of Errors in Manual Image Processing	84
Multiple Reflection from Layered Heterogeneous Medium	87
Stochastic Models of Electrodynamics	91
EMHD Models Respecting Relativistic Processes of Trivial Geometries	95
A Solar Element with Controlled Efficiency	99
Fusion of the T1, T2 Weighted and Perfusion Weighted Images for Peritumoral Region Evaluation	103
Thermal Properties of Light-controllable Photonic Liquid Crystal Fibers	106
Design Approach of Liquid-filled Dispersion-flattened Photonic Crystal Fibers	110
The Use of Magnetic Spectroscopy in the Investigation of the Magnetic Viscosity of Nanoparticles at Microwave Frequencies	114
Concealing an Electromagnetic Sensing System Using Three Kinds of Isotropic Homogeneous Single-negative Materials	118
Results of the SMOS Data Validation over a Steppe and Forest Area in Siberia	121
Infrared Imaging Detection of Hidden Danger in Mine Engineering	125
Magnetic Anomaly Detection in Ferromagnetic Material	130

A New Analytical Method for Calculation of Eddy Current Distribution and Its Application to a System of Conductor-slab and Rectangular Coil	135
High Performance 2D and 3D Approaches for Adjoint Variable Method Suitable for Inverse Problems ..	140
Reconstruction of Target Properties for Different Distributions Using Transient Adjoint Technique	146
A Novel Imaging Method for Inverse Scattering Problem Using Stepped-frequency Waveforms	151
Mathematics behind the Fractional-order Smith Chart	155
Algorithm Improvement for Real Time ILIDS Analysis in Airborne Research	160
An Improved Inverse Scattering Transform for DNLS ⁺ Equation under Nonvanishing Boundary Condition	164
Glare Point Reconstruction in Digital Holographic Microscopy for Droplet Characterization	171
Efficient Partial Concealment of Convex Conductive Body	175
Some Helicities in Electromagnetic Fields	179
Comparative Analysis of the Dynamic Stark Effect in Spectra of Rare Gas Atoms and Ions	184
Spectral Theory of Beam Scattering by Random Curved Surfaces for Imaging Laser Radar	188
Propagation of TE-waves through a Nonlinear Metamaterial Layer with Arbitrary Nonlinearity	193
Stopband and Resonance Characteristics of Cylindrical Electromagnetic Bandgap Structures	198
Parallelized FDTD-TDPO Algorithm Based on MPI Platform	203
A Fan-beam Millimeter-wave Antenna Based on Modified Luneberg Cylindrical Lens	207
A Dual Frequency Rectangular Dielectric Resonator Antenna Fed by a Coaxial Probe	211
Use of Frequency Selective Surface to Prevent SAR and Improve Antenna Performance of Cellular Phones	214
Receiving Performance Enhancement of Active GPS Antenna with Periodic Structure	219
Finite Different Ground Shapes Printed Spiral Antennas for Multi Wide Band Applications Using PPPC Feeding Scheme	224
Dual-band Printed Monopole Antenna with 1-D EBG Ground Plane	230
Wideband Antenna Design by the Stacked Koch Fractal Structures	234
A Compact Planar Microstrip-Fed Feed Patch Antenna Using High Permittivity Substrate	239
Design of Microstrip Antenna with Modified Annular-ring Slot for GPS Application	242
Miniaturized Ultra-wideband Circular Metallic Plate Antenna Suspended by Shorting Pins	246
Design of UHF RFID Passive Tag Antenna Pasted on a Large Metal Structure	251
A Low Profile Printed Tri-band Antenna Using Multi-band Artificial Magnetic Conductor Ground Plane	256
A Wide Bandwidth Rectangular Dielectric Resonator Antenna for LTE 4G Handset Front-end	259
Design of Elliptical Microstrip Patch Antenna Using ANN	264
GPS Antenna Design and Measurement	269
A Novel Fractal Patch Antenna for UWB Applications	272
WLAN Antenna Design and Measurement	276
Cellular Antenna Design and Measurement	279
Investigating the Effect of Nonlinearity on Adaptive Arrays	282
A Differential Multi-band CMOS Low Noise Amplifier with Gain Flatness Performance and Bandwidth Enhancement	286
Performance Analysis in Using Repeaters with Coordination among Base Stations for LTE-A Systems ..	291
Approximate Outage Probability Expressions for Evaluating Cooperative Communications	297
Improvement of Source Stirring to Field Uniformity in Reverberation Chamber	302

Notebook EMI Noise Analysis and WLAN TIS Performance Improvement with Periodic Structure 308

Grey Relational Clustering Applied to FPGA System Routing with Minimal Wire Length and Delay . . 313

Design of Reaction Cavity for a Microwave-assisted Synthesis System 317

Simulations and Analysis of the Corner Geometry and Its Influence on the Electromagnetic Behavior of Components and Structures: Comments on GTEM and Other Microwave Guided Structures Designs . 321

Flat-topped Field Correlations in Extremely Strong Turbulence 325

A Three-zone Ternary Phase Superresolving Diffractive Optical Element 330

Degree of Polarization of Random Electromagnetic Vortex Beams in Atmospheric Turbulence 334

Design and Simulation of Optical Planar Chiral Metamaterial 339

Achieving All-optical Diode through Non-symmetrical Nonlinear Cavity and the Effect of Photon Tunneling 344

Magneto-optical Photonic Band-gap Structures with Optimized Characteristics 349

Velocity Curl and Theorems in Electromagnetic Fields 354

Surface Soil Moisture Retrieval from the Temporal Evolution of Surface Temperature for Bare Surface 359

Sideband Level Suppression Improvement via Splitting Pulses in Time Modulated Arrays under Static Fundamental Radiation 364

Generalized Representation of Sideband Radiation Power Calculation in Arbitrarily Distributed Time-modulated Planar and Linear Arrays 368

Synthesis of Pencil-beam Patterns with Time-modulated Concentric Circular Ring Antenna Arrays . . 372

Sideband Suppression with Sub-sectional Optimized Time Steps in Time Modulated Linear Arrays . . 377

A Fast 3D System for AR Film Thickness Measurement of Single Crystalline Silicon Solar Cells 381

Multimodality Imaging of Digital Holographic Microscopy 385

Digital Holographic Microscopy Based on Graphic Process Unit 389

A Study of Optical Design of Blu-ray Pickup Head System with Liquid Crystal Element 393

A Study of Optical Design of Miniature Zoom Optics with Liquid Lenses 397

Adaptive Loading Algorithms Evaluations for IMDD SMF System-based Optical OFDM Transceivers . 402

Diversity Statistics of Free Space Optical Links Affected by Rain 407

Effect of ADC on the Performance of Optical Fast-OFDM in MMF/SMF-based Links 411

Improved Transmission Performance of Adaptively Modulated OFDM Signals Using Quantum Dot Semiconductor Optical Amplifier Intensity Modulators 415

Bandwidth Efficient Hybrid Wireless-optical Broadband-access Network (WOBAN) Based on OFDM Transmission 419

FDTD Analysis of Signal and Interference Characteristics in Multi-channel Propagation over Forests for WiMAX Communication 424

Effect of an External Magnetic Field on Multipactor on a Dielectric Surface 430

An Hybrid MoM-CG Method to Analyze Electromagnetic Scattering 434

Effect of the Three-dimensional Wideband Antenna on Plane Wave Distribution 438

Sensitivity Analysis of Eddy Current Sensors Using Computational Simulation 441

An Effective Formulation Based on Approximated Electromagnetic (EM) Mathematic Models of Feed Antennas to Efficient Estimate the Performances of Rotationally Symmetric Parabolic Reflector Antennas 446

Stabilizing the Method of Moments for Dielectrics Using a Combined Charge and Current Formulation of the EFIE 450

Electromagnetic Properties at Millimeter Wavelength Range of Diamond Films Grown by DC arc Plasma Jet Technique 455

Design of Waveguide Filter with Rectangular Irises in Cylindrical Cavities 458

A CMOS Doubly Balanced Monolithic Passive Star Mixer with a Compact IF Extraction	462
A Miniature 18–38 GHz pHEMT MMIC Frequency Doubler	467
Investigations on the Design of All-dielectric Frequency Selective Surfaces	472
The Design of A Broad Band Third-order Frequency-Selective Surfaces	476
Versatile DVCC-based Universal Voltage-mode Biquadratic Filter	480
High-input Impedance Tunable Voltage-mode Multifunction Biquadratic Filter Using All-grounded Passive Elements	484
Versatile CCII-based Universal Current-mode Biquadratic Filter	488
Sensitivity of Fabry-Perot Resonator Based Measurements of Gas Absorptions	492
Microstrip Diplexer Using High Permittivity Substrate	497
A Broadband Balun Using Meander Line	501
A Novel Multilayer Dual-mode Substrate Integrated Circular Cavity (SICC) Filter with Power Divider	505
Design of a Bandpass Filter Using Parallel Coupled Stepped Impedance Resonator Using the Novel Method of Lines	510
A High-Q CMOS Tunable Notch Filter	516
Novel Millimeter-wave Power Combining Utilizing Wafer Level Packaging Technology	520
Input Signal Distribution Using Coupled $\lambda/2$ Standing-wave Oscillators for Coherent Power Combining	524
An Investigation of Second-Harmonic Shifting Characteristic of Stepped-Impedance Resonators	528
A Novel Bandstop Resonator in Waveguide and Its Application for Suppressing the Spurious Responses with New Advantages to Typical Resonators	533
A Low-voltage and Low-power Low Noise Amplifier for Ku-band Application	538
A Broadband Low Noise Amplifier for X-band Applications	541
A Tri-band Bandpass Filter Using Short-stub Loaded SIR	544
Waveguide-based Meniscus Thin Lens for Broadband MM-wave Power Combining Applications	547
Phase Singularities of Focused High-order Hermite-Gaussian Beams	550
The Effect of Spherical Aberration on the Spectral Stokes Singularities of Tightly Focused Partially Coherent Anomalous Hollow Beams	554
Propagation of Nonparaxial Gaussian Schell-model Electromagnetic Beams through an Aperture	558
Spectral Stokes Singularities of Nonparaxial Partially Coherent Elliptical Gaussian Vortex Beams Diffracted at a Half-plane Screen	563
Tuning Trapped-mode Resonances in a Planar Metamaterial	567
The Preliminary Results from Assimilating Rain Rate Derived from Satellite	572
An Initial Study on Assimilating Satellite-derived Total Precipitable Water in a Variational Assimilation System	576
The Web Site for Retrieving the Microwave Complex Permittivity Spectra of Moist Soils	581
Temperature Dependable Microwave Dielectric Model for a Pine Litter Thawed and Frozen	585
SMOS First Results Successes and Issues: Towards Global Soil Moisture and Sea Sea Salinity Maps ...	590
Method of Moment Simulation of Noise Correlation in Antenna Arrays	594
A Compact Printed Array with Increased Port Isolation	598
Study on the Decoupling of Stacked Phased Array Coils for Magnetic Resonance Imaging	601
Novel Wideband Microstrip Antenna Array with Double U-slots	605
Dual-band Microstrip Antenna Array with EBG Structures	608
A Compact Printed Multi-band Antenna for Laptop Applications	611
A Novel Compact EBG Structure for Mutual Coupling Reduction in a Patch Array	615

Simulation of a Conformal Reconfigurable Fractal Tree Antenna with Adaptive Multi Beam and Frequency Characteristics	619
Convergence and Sidelobe Suppression Properties of Array Antenna	624
Stacked Coupled Circular Microstrip Patch Antenna for Dual Band Applications	629
The Use of RBF Based on Ant Colony Algorithm and Fisher Ratio for Eddy Current Nondestructive Detecting System	633
Multi-sensor Data Fusion System for Enhanced Analysis of Deterioration in Concrete Structures	637
Fiber Optic-based Sensing Approach for Corrosion Detection	642
Artifact Mitigation in High Energy CT via Monte Carlo Simulation	647
Analysis of Depolarized Electromagnetic Waves Propagated through Random Media	652
Electromagnetic Analysis of an in-car Complex Channel of Propagation by Means of Non Invasive Measurements and FDTD Based EM Simulations	657
A Neural Network-ray Launching Technique for Coverage Prediction	662
A Robust Indoor Wireless Localization	666
Neural Model for Modeling of Dumbbell Shape Defected Ground Structure	670
A Novel Multilayer Dual-mode Substrate Integrated Circular Cavity (SICC) Filter with Two Arc-shaped Coupling Slots	674
Design of an LNA with Ultra Low Noise and Model Noise Temperature at 2.45 GHz	679
The Study of Statistical Properties for Rainfall and Rain-induced Attenuation in Xi'an, China	684
Inversion of Refractive Index in Marine Atmospheric Duct by Genetic Algorithm	689
Subsurface Imaging with NIR Light Using Polarization Gating	693
Pseudo Random Binary Sequence GPR Imaging via Compressive Sensing	699
An Analytic Solution to the Scattering Fields of Shaped Beam by a Moving Conducting Infinite Cylinder with Dielectric Coating	704
Error of Moisture Retrieving from the SMOS Radiobrightness with the Use of the Temperature Dependable Soil Dielectric Model	709
Topographic Normalization of Landsat TM Images in Rugged Terrain Based on the High-resolution DEM Derived from ASTER	712
Monitoring Aurora in Day Light Side of the Earth in Relation to Solar Plasma Flow	717
Satellite Monitoring of Subglacial Volcano in Atlantic	721
Satellite Monitoring of Aurora Oval on the Earth in Relation to Solar Winds	725
RCS Reduction Assisted by Surface Plasmon Polaritons	729
Polarization Changes of Stochastic Spatially and Spectrally Partially Coherent Electromagnetic Pulsed Beams in Turbulent Atmosphere	733
The Frequency Dependence Problem of Conducting Cylinder Buried in a Half-space	738
Far-field Diffraction Patterns Evolution of a Gaussian Laser Beam due to Thermo-optical Effect in Metal Nanocolloids	741
An Improvement of QR-M MLD for MIMO Wireless Communications	746
Experimental Validation that Optical Scintillation Obeys the Same Rules of Share Price Fluctuations ..	750
The Analysis of Paired Unequally Spaced Repeated Alternate Unequally Spaced Allocation Channels for FDM Lightwave System	754
Generation of Diffraction-compensated Beams through a Phase Plate	759
Generation of Perfect 3D Dark Spots Using Double-ring Cylindrical Vector Vortex Beams	763
Author Index	766

Contents

17.9% Efficiency Silicon Solar Cells by Using Spin-on Films Processes	780
Switching of Dark Discrete Cavity Solitons	784
EIT-based Coherent Control Effect Sensitive to Probe Frequency and Control Field Intensity in a Periodic Layered Medium	788
Manipulating Photonic Nanojet Parameters of Micron-sized Dielectric Microspheres	794
Influence of Stokes Pulse Shapes on SBS Slow Light in Fibers	799
Measurement of the Verdet Constant in Different Mediums by Using Ellipsometry Technique	803
Urban Impervious Surfaces Estimation from RADARSAT-2 Polarimetric Data Using SVM Method ...	807
New Method for the $\pi/4$ Compact Polarimetric SAR Mode	813
Metamodel-based Adaptive Use of a Coherent Polarimetric Backscattering Simulator for the Characterization of Forested Areas at Low Frequencies	818
Polarimetric Signature and the Temporal Variation Analysis for Deforestation Mapping in Southwest China	823
Rice Monitoring Using Touzi Decomposition Based on Polarimetric SAR Data in Southwestern China .	827
Dual-band Circularly Polarized CPW-fed Circular Slot Antenna with Two Opened-ground Rings for GPS and WLAN Applications	831
Compact Dual-band Monopole Antenna for WLAN/WiMAX Applications	835
Synthesizing a High Gain Planar Array Antenna for Volume Scanning Arrays	840
Design and Construction of UWB Antennas	844
Antennas for Compact Communication Systems	848
A Dual Band Fractal Circular Microstrip Patch Antenna for C-band Applications	852
Rectangular Microstrip Patch Antenna with Photonic Band Gap Crystal for 60 GHz Communications .	856
Novel Shape of UWB Microstrip Patch Antenna with Enhanced Gain Using EBG Structure	860
Circularly Polarized Elliptical Slot Antenna with Enhanced Gain Using EBG Structure	865
A New GL Anisotropic and Isotropic Invisible Cloak without Exceeding Light Speed Violation	870
Increasing the Efficiency of Forward-backward Time-stepping Reconstruction Method	878
Note on the Tangential Scattered Magnetic Field on a Perfectly Conducting Surface	882
Derivation of One-minute Rain Rate from Five-minute Equivalent for the Calculation of Rain Attenuation in South Africa	887
Applications of the Natural Transform to Maxwell's Equations	899
Miniaturized Patch Antennas with Ferrite/Dielectric/Ferrite Magnetodielectric Sandwich Substrate ...	903
Tunable High Frequency Permeability of Metamaterials	907
Optical Single Sideband Modulation Using Feedback Technique Based on SBS Effect in Fiber	913
Optical Single Sideband Modulation of 9-GHz RoF System Based on FWM Effects of SOA	918
Dynamic Characterization of EDFA Based on ASE Selective-feedback and Gain-clamping Techniques .	922
Generation and Transmission Characterization of Sub-picoseconds 1550 nm Optical RZ-pulse	926

Efficient Generation of Broadband High-count Channels with Full Duty Cycle Amplitude Sampled Fiber Bragg Gratings	930
Influence of Grating Period of Uniform Fiber Bragg Grating on Slow Light Delay	934
Influence of SBS Gain Coefficient on Time Delay and Pulse Broadening in Fibers	938
Dual-concentric-core Photonic Crystal Fibers with Multi Outer Core Rings	943
Polarization-maintaining Photonic Crystal Fiber with Ultra-high Modal Birefringence	947
Toughened Epoxy Filled with Ferromagnetic Particles as High Temperature Resistant Microwave Absorbing Coating	950
Influence of Localized Surface Plasmon on Radiation Pattern of Nano-optical Antenna	955
Supercontinuum Generation in Different Zero-dispersion Photonic Crystal Fibers	959
Measurement of Weak Magnetic Fields	962
Ultrasonic-assisted Condensation of Chitosan with Salicylaldehyde and the Adsorption of Cr(VI) Ions in Magnetic Field	967
Microscopic Image Processing in Studying Diverticular Disease	971
Accuracy of Volumetry Depending on Smoothing Level	974
Synthesis of Arc Ladder Filters with Transmission Zeros for Using in the Feed Back of the Phase Lock Loop	977
A 3D Magnetic Measurement for $S/N < 0.01$	981
The Study of Transport of Substances in the Plant Stems	986
The Frequency Source for Precision Synchronous Triggering	990
Evaluation of Characteristics of HV Electrometric Amplifier with Low Input Current	995
Special High Voltage Function Generator	1000
Filter for Processing of NMR Signal	1004
Universal Arc Filters for Arc Oscillators with Automatic Sequential Filtration	1008
Visualization of Plant Fibres via Diffusion Tensor Imaging	1013
Dielectric Properties of Water Solutions with Small Content of Glucose in the Millimeter Wave Band and the Determination of Glucose in Blood	1017
A Novel Compact Frequency Selective Surface with a Stable Performance Based on Substrate Integrated Waveguide Technology	1021
Wave Transformers Based on Transformation Optics Theory	1025
Hybrid Electromagnetic Cloaks Mediated by Surface Plasmons: Nonperfect but Practical	1030
Tunable Dual-band Filter Based on Photonic Crystals Doped by Unmagnetized Plasma	1034
Response of Plasma Flow Field to Nuclear Electromagnetic Pulse in Near Space	1038
Guided Modes in a Slab Waveguide with Air Core Layer and Left-handed Materials Claddings	1043
New-type Low Power and Anti-interference Transmission Module	1049
Subgridding Scheme for FDTD in Cylindrical Coordinates	1053
Nonlinear Electromagnetics in Negative Index Metamaterials	1058
Numerical Analyses of the Realization of the D'B' Boundary Condition for Planar Surfaces	1063
Raindrop Size Distribution Model for the Prediction of Rain Attenuation in Durban	1068
Comparison of Aerosol Radiative Forcing Observed by AERONET and MODIS at Xianghe Station — Comparison of the Aerosol Product and Its Radiative Forcing between AERONET and MODIS	1076
2-D Pattern Synthesis for Cylindrical Arrays	1080
An Aperture-couple Stack Antenna with Minkoski-island-based Patch for Circular Polarization and Wide-band Applications	1084
UHF SATCOM Broadband CP Antenna: Moxon Type Bent-dipoles over a Ground Plane	1087

Wideband Slotted Planar Antenna with Defected Ground Structure	1092
Adaptive Beamforming Technique for Virtual Antenna Using Modified Interpolated Spatial Smoothing Algorithm	1098
An Integrated UWB and Bluetooth Antenna with Dual Band-notched Characteristic	1102
Side-lobe Searching Algorithm for Measured Antenna Far-field Patterns	1106
Patch Antennas for TTC Applications of Mini-satellites	1110
Optimal Calculation of the Directivity of Arrays with Azimuthal Element Pattern Symmetry	1115
A Novel UWB Filter with Dual-notch-bands Characteristic Using Radial-multimode Loaded Stub Resonator	1119
Fast Numerical Simulation of Responses of Array Multicomponent Induction Logging Tool in Horizontally Stratified Inhomogeneous TI Formation by NMM	1122
Finite Volume Algorithm to Simulate Responses of Multi-component Induction Tools in 3D Inhomogeneous Anisotropic Formation Using Coupled Scalar-Vector Potentials	1128
Fast Parameterized Inversion of Multicomponent Induction Logging Data in Horizontally Layered TI Formation	1133
Efficient Computation of Sommerfeld Integral by Cubic Spline Interpolation to Determine Spatial Domain Dyadic Green's Function in Horizontally Layered TI Medium	1139
Relationships between the RCSR Properties of a Coated Slab and Absorbing Characteristic of the Coated RAM	1143
Experimental Study of Microwave Permeability of FeCoBSi Thin Films Prepared on Thin Flexible Substrates	1147
GMI Output Stability of Glass-coated Co-based Microwires for Sensor Application	1151
On the Electrically Driven Motion	1156
Novel Nonlocal Gauge Functions in Electrodynamics and Their Effect on Quantum Mechanical Phases	1161
Investigation of Illusion Optics Devices Implemented by Transmission-line Metamaterials with Full Tensors	1165
About the Zero Point Energy, Zero Point Mass, Zero Point Temperature and Zero Point Motion in the Subatomic World and Photonics	1169
Comment on "Permanence of Light Velocity" by Applying the New Theory on Electromagnetic Wave	1172
A Note on Variational Theory for Piezoelectricity with Voids	1177
Parametric Transformation and Parametric Resonance of Confined Acoustic Phonons and Confined Optical Phonons by an External Electromagnetic Wave in Doping Superlattices	1180
All-optical Controllable Double State Switch Based on DIT by Using QD	1186
Characteristics for Crosstalk between Dual Microstrip Transmission Lines in PCB	1190
Surface Modes at Interface between Lossy Gyroelectric and Isotropic Media	1195
Transmission Line Matrix Method for Two-dimensional Modeling of Terahertz Gaussian Beam Propagation	1199
Analysis of the Design and Optimization of a Yagi Antenna with High Gain in Meteorological Communication	1204
Design and Analysis of a New Oscillator Circuit for Communication Based on Wien Bridge Structure	1208
The Research of the Turbo Coding Technology in the High-speed Underwater Communication with OFDM Mode	1211
Resonance Relation for Coated Spheres with Radial Anisotropy	1215
A Metal-dielectric Multilayer Film Applied to Enhance the Transmission of Two Counter-propagating Lights	1219
Extraction of Non-thermal THz Emission from a High Electron Mobility Transistor	1223
Terahertz Photocurrent in Point Contact Devices	1227

Integrated UAVSAR Simulator and Processor Software (iSARX)	1232
The Design and Development of Unmanned Aerial Vehicle Synthetic Aperture Radar	1236
A SIMO Step-frequency Radar Technology for Imaging and Reconstruction of a 3D Complex Target	1240
Circularly Polarized Array Antennas for Synthetic Aperture Radar	1244
Design and Development of a Ground Based Frequency Modulated Continuous Wave Imaging Radar System	1248
A GPS/SINU Design for Motion Sensing and Compensation Using Extended Kalman Filter for Airborne UAVSAR	1253
A New Dual Band E-shaped Slot Antenna Design for Wireless Applications	1258
Combined Fractal Geometries for the Design of Wide Band Microstrip Antennas with Circular Polarization	1262
Design of Internal Dual Band Printed Monopole Antenna Based on Peano-type Fractal Geometry for WLAN USB Dongle	1268
A New Miniaturized E-shaped Printed Monopole Antenna for UWB Applications	1273
Miniaturized Surface Wave Dipole Antenna for Millimeter Wave Application	1277
Extended Dipole Antenna with AMC Spiral Ground and Via Holes for Millimeter Wave Application	1281
Gain and Bandwidth Enhancement of a Microstrip Antenna Using Partial Substrate Removal in Multiple-layer Dielectric Substrate	1285
Non-spatial Filtering for Laser Beams with Volume Bragg Grating in Photo-Thermo-Refractive Glass	1290
Simulation of Chirped Volume Bragg Grating with a Partition-integration Method	1295
Anomalous Transmission Properties of epsilon-near-zero Metamaterials	1299
Extrahigh Color Rendering Color Temperature Tunable White Light LED Cluster with Warm-white Red Green Blue LEDs	1303
Spectral Optimization of Warm-white LED with Red LED Instead of Red Phosphor under Conditions of $CRI \geq 90$ and $R9 \geq 90$	1307
Design of an All-optical Controllable Switch Using Dipole Induced Transparency (DIT)	1311
System-level Susceptibility Analysis for Intentional EMI Based on Bayesian Networks	1315
Time Domain Analysis of Nonlinear Load Terminated in Shielded Cable	1320
Research on High Voltage Electrostatic Discharge to EED and Fuze	1325
A Method for Assessing EED against HPEM	1329
Measurement of the Shielding Effectiveness of Connector by Improved Triaxial Method	1334
A Small-sized Fast Rise Time HEMP Simulator	1339
Coupling Energy Analysis and Calculation of HEMP on EED	1343
A Multi-step Electromagnetic Topology Method to Compute the Coupling of External Electromagnetic Fields and Inner Wires of a Cavity through Apertures	1347
Equivalent Circuit Model for Two Layer Dumbbell Type Defected Ground Structures	1352
Triple Mode Resonator Bandpass Filters with Source-load Coupling	1356
A Conjunct Analysis for Breast Cancer Detection by Volume Rendering of Low Dosage Three Dimensional Mammogram	1361
Scattering from Periodic Cone Structure Array	1366
Cylindrical Slot Antennas for Monitoring the Quality of Milled Rice	1370
Leaf Area Index Inversion Based on Ground Passive Microwave Measurement Experiment	1374
Three Dimensional Visualization of Pol-InSAR Image	1379
H- α Decomposition and Alternative Parameters for Dual Polarization SAR Data	1386
Forest Model for Height Estimation Using POLinSAR Data	1391

Improved Sigma Filter for Speckle Filtering of PolinSAR Imagery	1395
An Analysis Method on Scattering Characteristics of Finite Periodic Array	1399
The Simulation and Measurement of Scattering Property and Emissivity of the Microwave Radiometer Calibrator	1403
Electromagnetic Simulation of a Bulk Current Injection Test Setup for Automotive Applications	1406
Analysis and Simulation for RF Interconnect	1410
Studies of Planar Antennas with Different Radiator Shapes for Ultra-wideband Body-centric Wireless Communications	1415
Bandwidth Improvements Using Ground Slots for Compact UWB Microstrip-fed Antennas	1420
Band-notch Patch Ultra-wide Band Antenna	1424
Novel Design of Proximity-fed Ultra-wide Band Annular Slot Antenna	1429
Optimization of Radiation Patterns of Array Antennas	1434
The Enhancement of the Light Scattering/Absorption from the Correlation Effect between Molecules	1439
Self-field Theory, General Relativity and Quantum Theory	1444
Two-dimensional Tunable Plasma Photonic Crystal Filters	1448
The Dependence of the Acoustomagnetolectric Current on the Parameters of a Cylindrical Quantum Wire with an Infinite Potential in the Presence of an External Magnetic Field	1452
The Parametric Resonance of Confined Acoustic Phonons and Confined Optical Phonons by an External Electromagnetic Wave in Cylindrical Quantum Wires with an Infinite Potential	1457
Advances in the Theory of A , B , C Numbers and Its Application to Waveguide Propagation	1462
An Extra Reduced Size Dual-mode Bandpass Filter for Wireless Communication Systems	1467
New Defected Microstrip Structure Bandstop Filter	1471
Dual-band Bandpass Filter Using SIR Structure	1475
An Investigation of Unloaded Quality Factor of $\lambda/2$ and $\lambda/4$ Resonators	1480
Design of an Extra-low-loss Broadband Y-branch Waveguide Splitter Based on a Tapered MMI Structure	1483
Scanning Near-field Millimeter Wave Microscope Combining Dielectric Tapered Probes and Metal Tips	1487
New Method to Calculate the Low Frequency Noise Hooge Parameter: Applications to SiGe HFET ..	1491
Small Antenna Chamber Design and Measurement	1495
Calculation and Analysis of the Coupling Effects of High Voltage Transmission Lines in Joint-use Corridors Shared by Multi-systems	1498
Author Index	1504